



# Rockfon Alaska® dB

## LEED® v4 Highlights

### Materials and Resources (MR)

- ✓ Waste Management Planning
- ✓ Interiors Life Cycle Impact Reduction
- ✓ Environmental Product Declarations
- ✓ Sourcing of Raw Materials
- ✓ Material Ingredients
- ✓ Waste Management

### Indoor Environmental Quality (EQ)

- ✓ Low-Emitting Materials
  - ✓ Interior Lighting
  - ✓ Acoustic Performance
- Recycled Content:** up to 40%



Edge designation	Item number	Modular size (nominal)	lbs/sqft	sqft/carton	NRC	CAC	AC	Fire Class	Light Reflectance	Sag resistance (relative humidity)	Low VOC	
	SQ	12100	2' x 2' x 1"	0.69	64	0.85	35	180	A	0.86	up to 100 %	✓
	SQ	12101	2' x 4' x 1"	0.69	64	0.85	35	180	A	0.86	up to 100 %	✓
	SLN	12200	2' x 2' x 1"	0.69	32	0.85	35	180	A	0.86	up to 100 %	✓
	SLN	12201	2' x 4' x 1"	0.69	64	0.85	35	180	A	0.86	up to 100 %	✓
	SLT	12300	2' x 2' x 1"	0.69	32	0.85	35	180	A	0.86	up to 100 %	✓
	SLT	12301	2' x 4' x 1"	0.69	64	0.85	35	180	A	0.86	up to 100 %	✓

15/16" Suspension Systems	9/16" Suspension Systems
1200, 200 and Fire rated systems	4000, 4200, 4500, 4600 and Fire rated systems
<p>SQ      SLT</p>	<p>SLN - Tempra    SLN - Integrity    SLN - Ultralite 1/4"    SLN - Ultralite 1/8"</p>



Budget: \$\$\$\$\$

**Material**

Stone wool (Mineral Wool) ceiling tiles with factory painted glass scrim surface  
ASTM E1264 CLASSIFICATION: Type XX - Stone wool base with membrane-faced overlay, Pattern G



**Fire Performance**

Surface burning characteristics:  
UL723 (ASTM E84) Flame Spread Index: 0-5  
Smoke Developed Index (UL Labeled): 0-5  
CAN/ULC S102 Flame Spread Index: 10-15  
Smoke Developed Index: 5



**Environment**

Fully recyclable



**Thermal Insulation**

R Value (BTU Units): 3.5  
RSI Value (Watts Units): 0.62



**VOC Emissions**

All Rockfon stone wool acoustic solutions are GREENGUARD Gold lowVOC certified and meet the State of California's Department of Public Health Services Standard Practice for Specification Section 01350 (California Section 01350) for testing chemical emissions.

Selected potential applications: LEED, WELL, CHPS, Green Globes, BREEAM Int. and CALGreen.



**Warranty Information**

30-Year Limited Product Warranty.  
See [www.rockfon.com](http://www.rockfon.com)



**Hygiene**

Stone wool provides no sustenance to microorganisms



**Cleaning**

- Vacuum